



BETTER EQUIPMENT

SPIRIT LEVELS • MEASURING TOOLS • MARKERS • KNIVES AND TOOLS • LIGHTS • HAND TOOLS

PRODUCT INFO

2024



READY FOR ACTION

4K5 READY FOR ACTION

BOX PROFILE SPIRIT LEVELS · TAPE MEASURE · UTILITY SNAP-OFF KNIFE · MULTITool · SHEARS · PLIERS





BETTER EQUIPMENT

ERS · WORK LAMPS · TORCHES · LED HEAD TORCH · CONSTRUCTION SITE SPOTLIGHT · SPIRIT LEVELS



FOR

PROFESSIONALS

ON THE

CONSTRUCTION SITE

BOX PROFILE SPIRIT LEVELS · TAPE MEASURE · UTILITY SNAP-OFF KNIFE · MULTITOOL · SHEARS · PLI



TEAM WITH A MISSION



B E T T E R E Q U I P M E N T

ERS · WORK LAMPS · TORCHES · LED HEAD TORCH · CONSTRUCTION SITE SPOTLIGHT · SPIRIT LEVELS

WANT THE BEST GEAR FOR YOUR JOB ON THE CONSTRUCTION SITE -

FOR ALL THE BIG TASKS YOU FACE THERE?

AS A SMART PROFESSIONAL, YOU KNOW WHAT THE BEST TOOLS LOOK LIKE -

JUST LIKE YOU! TOUGH, ROBUST, A TEAM-PLAYER, SMART AND ALWAYS

ONE STEP AHEAD. IT'S 4K5.

GET INTO ACTION!

4K5 HIGHLIGHTS

BOX PROFILE SPIRIT LEVELS · TAPE MEASURE · UTILITY SNAP-OFF KNIFE · MULTITOOL · SHEARS · PLI

4K5 OPT 25



High-strength aluminium housing

Red edges on the air bubble for best readability

Rotatable gradient vial with clear markings every 5°

PAGE 22

4K5 TRX SERIE

Extra wide W-shaped strap, kink-resistant up to an extension length of 3 meters



Impact-resistant housing with protective rubber coating

Tape measure printed on both sides

PAGE 25

4K5 TKX 310

PAGE 35

4K5 PCX 45

PAGE 50

4K5 HIGHLIGHTS

BOX PROFILE SPIRIT LEVELS · TAPE MEASURE · UTILITY SNAP-OFF KNIFE · MULTITool · SHEARS · PLI

4K5 PDS 5 SET



20 piece set



FAST FIT: Time-saving screw tightening, four times faster than manual tightening

COMFORT WORK: No signs of fatigue

PAGE 53

4K5 FL 6000



Non-dazzle LED floodlight



2 sockets on the rear

Robust, impact-resistant housing

PAGE 71



BETTER EQUIPMENT

ERS • WORK LAMPS • TORCHES • LED HEAD TORCH • CONSTRUCTION SITE SPOTLIGHT • SPIRIT LEVELS



BETTER WITH 4K5

SPIRIT LEVELS • MEASURING TOOLS • MARKERS • KNIVES AND TOOLS • LIGHTS • HAND TOOLS •

CONTENTS**SPIRIT LEVELS**

BOX PROFILE SPIRIT LEVELS 13

CAST SPIRIT LEVELS 19

SPECIAL SPIRIT LEVELS 20

MEASURING TOOLS AND MARKERS

TAPE MEASURES 25

FOLDING RULES 29

MARKERS 30

KNIVES AND TOOLS

UTILITY SAFETY KNIVES 33

UTILITY SNAP-OFF KNIVES 40

REPLACEMENT BLADES 45

MULTITOOLS 49

PIPE CUTTERS 50

ELECTRIC SCREWDRIVER 52

SHEARS 54

LIGHTS

HAND TORCHES 57

HEAD TORCHES 62

WORK LIGHTS 64




4K5 SPIRIT LEVELS

BOX PROFILE SPIRIT LEVELS · CAST SPIRIT LEVELS · SPECIAL SPIRIT LEVELS · TORPEDO PROFILE



BOX PROFILE SPIRIT LEVELS • CAST SPIRIT LEVELS • SPECIAL SPIRIT LEVELS • TORPEDO PROFILE

4K5 ZE SERIES



4K5 ZE SERIES

HIGH-QUALITY, PRECISE AND EASY TO READ BOX PROFILE SPIRIT LEVEL



- ZOOM EYE: Magnifying lens on the horizontal acrylic block vial for taking accurate readings
- DUO VIEW: Additional sight glass allows the vertical acrylic block vial to be viewed from the front for taking more accurate readings
- Fine-milled measuring surfaces for precise alignment (up to 100 cm)
- High measuring accuracy for standard and overhead measurements
- Robust aluminium housing with thick walls
- Extremely stable due to continuous profile/vial bridge with no vial recess
- Easy to use due to ergonomic, air-cushioned grips
- Good profile protection due to shock-absorbing, rubberised, polypropylene end caps
- Rubberised end stop prevents slippage on walls




| Length | Article no. | EAN code |
|--------|-------------|-----------------|
| 60 cm | 603.100-60 | 4 021563 713943 |
| 80 cm | 603.100-80 | 4 021563 713950 |
| 100 cm | 603.100-100 | 4 021563 713967 |
| 180 cm | 603.100-180 | 4 021563 713974 |
| 200 cm | 603.100-200 | 4 021563 713981 |

4K5 ZE M SERIES

HIGH-QUALITY, PRECISE AND EASY TO READ BOX PROFILE SPIRIT LEVEL WITH MAGNETS



- Product design same as ZE series
- Attaching with rare-earth magnets for hands-free working on metal constructions




| Length | Article no. | EAN code |
|--------|--------------|-----------------|
| 80 cm | 603.100-80M | 4 021563 715763 |
| 180 cm | 603.100-180M | 4 021563 713998 |

4K5 VUM

HIGH-QUALITY, EASY-READ AND MAGNETIC SPIRIT LEVEL WITH FINELY MILLED MEASURING SURFACES AND V-GROOVE



- Attaching with rare-earth magnets for hands-free working on metal constructions
- ZOOM EYE: Magnifying lens on the horizontal acrylic block vial for taking accurate readings
- DUO VIEW: Additional sight glass allows the vertical acrylic block vial to be viewed from the front for taking more accurate readings
- 2 fine-milled measuring surfaces for precise alignment
- V-groove for attaching to pipes




| Length | Article no. | EAN code |
|--------|--------------|-----------------|
| 100 cm | 603.101-100M | 4 021563 714032 |

4K5 TRI SERIES

PRACTICAL BOX PROFILE SPIRIT LEVEL WITH HORIZONTAL AND VERTICAL VIALS



- 3 easy-to-read vials for alignment of horizontals, verticals
- ZOOM EYE: Easy to read due to the magnifying lens in the horizontal acrylic glass block vial
- Useful 2% slope marking on the horizontal acrylic glass block vial
- Fine-milled measuring surfaces for precise alignment
- Good profile protection due to shock-absorbing, rubberised end caps



| Length | Article no. | EAN code |
|--------|-------------|-----------------|
| 40 cm | 603.115-40 | 4 021563 719044 |
| 50 cm | 603.115-50 | 4 021563 719112 |
| 60 cm | 603.115-60 | 4 021563 719051 |
| 80 cm | 603.115-80 | 4 021563 719068 |
| 100 cm | 603.115-100 | 4 021563 719075 |
| 120 cm | 603.115-120 | 4 021563 719082 |
| 180 cm | 603.115-180 | 4 021563 719099 |
| 200 cm | 603.115-200 | 4 021563 719105 |

4K5 TRI POWER PACK

UNIVERSAL BOX PROFILE SPIRIT LEVEL SET IN THE LENGTHS 60, 100 AND 180 CM



- Suitable for many different applications and is highly accurate due to the right spirit level for each application
- Attractively packaged with a banderole



| Article no. | EAN code |
|-------------|-----------------|
| 603.115PP | 4 021563 729074 |

Scope of delivery

TRI 60 = 60 cm, TRI 100 = 100 cm, TRI 180 = 180 cm

4K5 GE SERIES

HIGH-QUALITY AND EASY TO READ SPIRIT LEVEL FOR PROFESSIONAL BUILDERS



- ZOOM EYE: Easy to read due to the magnifying lens in the horizontal acrylic glass block vial
- DUO VIEW: Extra sight glass makes the vertical acrylic glass block vial easy to read
- High measuring accuracy for standard and overhead measurements
- Good profile protection due to shock-absorbing, rubberised end caps
- Rubberised end stop prevents slippage on walls



| Length | Article no. | EAN code |
|--------|-------------|-----------------|
| 40 cm | 603.102-40 | 4 021563 714049 |
| 50 cm | 603.102-50 | 4 021563 717279 |
| 60 cm | 603.102-60 | 4 021563 714056 |
| 80 cm | 603.102-80 | 4 021563 714063 |
| 100 cm | 603.102-100 | 4 021563 714070 |
| 120 cm | 603.102-120 | 4 021563 714087 |
| 150 cm | 603.102-150 | 4 021563 714094 |
| 180 cm | 603.102-180 | 4 021563 714100 |
| 200 cm | 603.102-200 | 4 021563 714117 |




BETTER EQUIPMENT

4K5 GEM SERIES

HIGH-QUALITY, MAGNETIC AND EASY TO READ SPIRIT LEVEL FOR PROFESSIONAL BUILDERS



- Attaching with rare-earth magnets for hands-free working on metal constructions
- ZOOM EYE: Easy to read due to the magnifying lens in the horizontal acrylic glass block vial
- DUO VIEW: Extra sight glass makes the vertical acrylic glass block vial easy to read
- High measuring accuracy for standard and overhead measurements
- Good profile protection due to shock-absorbing, rubberised end caps
- Rubberised end stop prevents slippage on walls




| Length | Article no. | EAN code |
|--------|--------------|-----------------|
| 40 cm | 603.102-40M | 4 021563 714124 |
| 50 cm | 603.102-50M | 4 021563 714131 |
| 60 cm | 603.102-60M | 4 021563 714148 |
| 80 cm | 603.102-80M | 4 021563 714155 |
| 100 cm | 603.102-100M | 4 021563 714162 |
| 150 cm | 603.102-150M | 4 021563 717705 |
| 180 cm | 603.102-180M | 4 021563 714179 |

4K5 GES SERIES

BRIDGE VERSION

- Product design same as GE series
- Bridge design



Bridge design
With two raised metal points on the contact surface for uneven surfaces



| Length | Article no. | EAN code |
|--------|-------------|-----------------|
| 150 cm | 781PLS-150 | 7 290100 849958 |
| 180 cm | 781PLS-180 | 7 290100 849965 |
| 200 cm | 781PLS-200 | 7 290100 849972 |

4K5 ME SERIES

LIGHTWEIGHT, ROBUST AND PRECISE STANDARD SPIRIT LEVEL




- Accurate horizontal and vertical alignment of objects
- Light and robust aluminium profile
- Good profile protection due to rubberised end caps




| Length | Article no. | EAN code |
|--------|-------------|-----------------|
| 20 cm | 603.103-20 | 4 021563 715770 |
| 40 cm | 603.103-40 | 4 021563 714186 |
| 50 cm | 603.103-50 | 4 021563 717286 |
| 60 cm | 603.103-60 | 4 021563 714193 |
| 80 cm | 603.103-80 | 4 021563 714209 |
| 100 cm | 603.103-100 | 4 021563 714216 |

SPIRIT LEVEL FOR ELECTRICIANS FOR OPTIMUM POSITIONING OF SOCKETS AND SWITCHES




- Precise identification of distances between sockets with marking aids at intervals

MARKED INTERVALS MAKE THIS SPIRIT LEVEL THE PERFECT OPTION FOR PRECISE POSITIONING OF SOCKETS AND SWITCHES. THESE INCLUDE FOUR MARKINGS AT DISTANCES OF 71 MM AND 91 MM AS WELL AS HEIGHT REFERENCES OF 30 CM, 105 CM AND 115 CM. THE ROBUST ALUMINIUM TUBE PROFILE HAS TWO IMPACT-RESISTANT ACRYLIC GLASS BLOCK VIALS, ONE VERTICAL AND ONE HORIZONTAL, WITH A USEFUL 2% SLOPE MARKING. OTHER BENEFITS INCLUDE THE HIGH MEASURING ACCURACY AND SHOCK-ABSORBING END CAPS WHICH PROVIDE EFFECTIVE PROTECTION FOR THE PROFILE AND THE SPIRIT LEVEL PROPERTIES.




| Length | Article no. | EAN code |
|--------|-------------|-----------------|
| 130 cm | 603.106-130 | 4 021563 714261 |




4K5 DR SERIES

SPIRIT LEVEL FOR DRYWALL STRUCTURES FOR OPTIMUM ALIGNMENT AND SETUP OF METAL WALL PROFILE SUPPORTS



- Notches with rare-earth magnets for aligning and fixing metal wall profile supports
- 2 impact-resistant acrylic glass block vials
- DUO VIEW: Extra sight glass makes the vertical acrylic glass block vial easy to read
- Useful 2% slope marking on the horizontal acrylic glass block vial
- Milled measuring surfaces for precise alignment
- Attaching with rare-earth magnets for hands-free working on metal constructions
- Good profile protection due to shock-absorbing, impact-resistant end caps
- Design G with specific dimensions for drywalling in Germany
- Design B with specific dimensions for drywalling in Belgium



| Length | Article no. | EAN code |
|--------|-------------|-----------------|
| 90 cm | 603.104-90 | 4 021563 714223 |
| 90 cm | 603.104-90G | 4 021563 714247 |
| 90 cm | 603.104-90B | 4 021563 714230 |

| | 1 | 2 | 3 |
|---|---------|---------|-------|
| — | 40 cm | 60 cm | 40 mm |
| G | 41.7 cm | 62,5 cm | 50 mm |
| B | 40 cm | 60 cm | 50 mm |



4K5 IN

SPIRIT LEVEL FOR PLUMBERS WITH NOTCHES AT STANDARD DISTANCES FOR COMMON INSTALLATION DIMENSIONS



- 5 notches at standard distances for common installation dimensions (wall mounting/sinks, cold/hot water connections, mixer tap connections)
- DUO VIEW: Extra sight glass makes the vertical acrylic glass block vial easy to read
- Useful 2% slope marking on the horizontal acrylic glass block vial
- 2 shockproof, non-breakable acrylic glass block vials
- Robust design due to reinforced aluminium box profile
- Excellent protection due to shock-absorbing end caps
- Rubberised end stop prevents slippage on walls



| Length | Article no. | EAN code |
|--------|-------------|-----------------|
| 70 cm | 603.105-70 | 4 021563 714254 |

4K5

BETTER EQUIPMENT



4K5 SH SERIES

SPIRIT LEVEL FOR BRICKLAYERS



- Fixed, sealed horizontal acrylic glass block vial
- Extra sight glass makes the vertical acrylic glass block vial easy to read
- Shock-absorbing end caps for quick adjustment with a trowel
- Milled measuring surfaces for precise alignment
- Durable, trapezoidal, cast aluminium body

4K5

BETTER EQUIPMENT



| Length | Article no. | EAN code |
|--------|-------------|-----------------|
| 40 cm | 603.107-40 | 4 021563 714278 |
| 50 cm | 920-50 | 7 396323 133666 |
| 60 cm | 603.107-60 | 4 021563 714285 |
| 80 cm | 603.107-80 | 4 021563 717729 |
| 100 cm | 603.107-100 | 4 021563 714292 |

4K5 CT

PRECISION SPIRIT LEVEL



- 2 shockproof acrylic glass block vials, horizontal and vertical
- Fine-milled measuring surface for precise alignment
- Compact design, fits in any toolbox
- Robust cast aluminium body



| Length | Article no. | EAN code |
|--------|-------------|-----------------|
| 25 cm | 724-25 | 7 290100 843314 |

4K5 CTM

MAGNETIC PRECISION SPIRIT LEVEL



- Product design same as CT
- Attach to metal surfaces with magnets



| Length | Article no. | EAN code |
|--------|-------------|-----------------|
| 25 cm | 603.112-25M | 4 021563 715701 |

4K5 CYM

PRACTICAL POCKET SPIRIT LEVEL



- Suitable for horizontal and vertical use
- DUO VIEW: Additional sight glass allows the vertical acrylic block vial to be viewed from the front for taking more accurate readings
- Durable cast aluminium housing
- 2 fine-milled measuring surfaces with V-groove for use on round items
- Strong rare-earth magnets on each milled measuring surface



Article no.

EAN code

603.108

4 021563 714308

Packaging

10 Pieces in display box

4K5 IQM

VERSATILE, MAGNETIC SMALL SPIRIT LEVEL WITH CLEVER FUNCTIONS



- Suitable for horizontal and vertical use
- Useful 2% slope marking on the horizontal acrylic glass block vial
- Stable, rectangular housing core made from cast aluminium
- 3 fine-milled measuring surfaces for precise alignment
- V-groove on each measuring surface for use on round items
- Easy vertical alignment with the horizontal vial
- Extremely compact design, suitable for carrying in pockets or on tool belts
- Strong rare-earth magnets on each milled measuring surface
- Easy storage in the holder with belt clip



Length

Article no.

EAN code

7 cm

603.116

4 021563 721610

Scope of delivery

IQM, Holder with belt clip

4K5 IQM+

VERSATILE, MAGNETIC SMALL SPIRIT LEVEL WITH HORIZONTAL AND VERTICAL VIALS AS WELL AS CLEVER FUNCTIONS



- Suitable for horizontal and vertical use
- Useful 2% slope marking on the horizontal acrylic glass block vial
- Stable, rectangular housing core made from cast aluminium
- 3 fine-milled measuring surfaces for precise alignment
- V-groove on each measuring surface for use on round items
- Strong rare-earth magnets on each milled measuring surface
- Easy to use due to compact design



Length

Article no.

EAN code

10.7 cm

603.118


4 021563 724505

4K5 HA 10

SMALL SPIRIT LEVEL



- Extremely compact design, suitable for carrying in pockets or on tool belts
- Lightweight and stable aluminium tube profile
- Shockproof acrylic glass block vial
- Good profile protection due to shockproof end caps



| Length | Article no. | EAN code |
|--------|-------------|-----------------|
| 10 cm | 603.110-10 | 4 021563 714322 |

4K5 PST

MAGNETIC SPIRIT LEVEL FOR PILLARS



- Perfect for levelling pillars, pipework and masts
- Three vials for precise alignment
- Useful click lock every 15°
- Four strong magnets provide easy attachment to metal surfaces
- Adjustable, elastic strap for non-magnetic surfaces
- Compact and foldable design



| Article no. | EAN code |
|-------------|-----------------|
| 603.109 | 4 021563 714315 |

Packaging
6 Pieces in display box


THIS SPIRIT LEVEL FEATURES THREE VIALS AND IS PARTICULARLY SUITABLE FOR ACCURATE LEVELLING OF PILLARS, PIPEWORK AND MASTS. IT FEATURES A PRACTICAL CLICK LOCK EVERY 15° AND FOUR STRONG MAGNETS FOR ATTACHING TO METAL SURFACES. THE ADJUSTABLE STRAP ALLOWS IT TO BE ATTACHED TO NON-MAGNETIC SURFACES. THIS PRODUCT WILL FIT IN ANY TOOL BOX DUE TO ITS COMPACT, FOLDING DESIGN

4K5 OPT 25

MULTIFUNCTIONAL TORPEDO PROFILE SPIRIT LEVEL WITH HORIZONTAL, VERTICAL AND GRADIENT VIALS



- 3 shockproof acrylic block vials: horizontal, vertical and gradient
- Horizontal vial with red edges on the air bubble for best readability, even in particularly bright or poor light
- Useful 2% slope marking on the horizontal acrylic glass block vial
- Simple rotatable gradient vial with clear markings every 5° to quickly measure angles
- V-groove with rare earth magnets for pipework and cable channels
- Compact and stable design
- High-strength, conical aluminium housing
- Good profile protection due to shockproof end caps



| Length | Article no. | EAN code |
|--------|-------------|-----------------|
| 25 cm | 603.125 | 4 021563 729807 |

4K5 TPM

PRACTICAL AND PROFESSIONAL TORPEDO PROFILE SPIRIT LEVEL WITH HORIZONTAL, VERTICAL AND 45° VIALS



- Three easy-to-read vials for alignment of horizontals, verticals and 45° slopes
- Extra sight glass allows horizontal vial to be read from three sides
- Attach to metal surfaces with magnets
- V-groove for pipework and cable channels
- Good profile protection due to shock-absorbing, rubberised end caps
- Compact and stable design



| Length | Article no. | EAN code |
|---------|-------------|-----------------|
| 25,5 cm | 603.114 | 4 021563 719013 |

Packaging

20 Pieces in display box

4K5 TOP

TORPEDO PROFILE SPIRIT LEVEL WITH HORIZONTAL, VERTICAL AND 45° VIALS



- Three easy-to-read vials for alignment of horizontals, verticals and 45° slopes
- Extra sight glass allows horizontal vial to be read from three sides
- Magnetic V-groove for pipework and cable channels
- Good profile protection due to rubberised end cap



| Length | Article no. | EAN code |
|--------|-------------|-----------------|
| 23 cm | 603.111 | 4 021563 714339 |

Packaging

20 Pieces in display box


4K5 MEASURING TOOLS AND MARKERS

TAPE MEASURE · POCKET TAPE MEASURE · MECHANICAL MARKER · FOLDING RULE · TAPE MEASURE



TAPE MEASURE · POCKET TAPE MEASURE · MECHANICAL MARKER · FOLDING RULE · TAPE MEASURE

4K5 TRX




4K5 TRX 5/8/10

TAPE MEASURE PRINTED ON BOTH SIDES WITH KINK-RESISTANT W-SHAPE, EXCELLENT READABILITY AND MAGNETIC END HOOK



- Easy to read from any position, tape measure printed on both sides (horizontal/vertical)
- Extra-wide tape in W-shape, kink-resistant up to an extension length of 3 metres.
- Combination of black tape, white figures and white scale greatly reduces reflection from bright light
- Especially durable coating on the heavily used first 20 cm of the tape
- Magnetic hook on the end for attaching to metal surfaces
- Hook position can be adjusted for precise internal and external measurement
- Easy-to-use stop button for locking the tape
- Pocket clip makes it easy to carry around



Horizontal Scaling




Vertical Scaling

THIS TAPE MEASURE IS CHARACTERISED BY A W-SHAPED WIDE TAPE PRINTED ON BOTH SIDES THAT IS KINK-RESISTANT UP TO AN EXTENSION LENGTH OF 3 METRES. EVEN WHEN USED IN VERY BRIGHT SURROUNDINGS, IT IS HIGHLY LEGIBLE THANKS TO THE COMBINATION OF BLACK TAPE, WHITE NUMBERS AND A WHITE SCALE. THIS GREATLY REDUCES REFLECTIONS FROM INTENSIVE LIGHT. A DURABLE COATING ON THE HEAVILY USED FIRST 20 CM OF THE TAPE EFFICIENTLY PREVENTS WEAR. THE MAGNETIC HOOK ON THE END ALLOWS IT TO BE ATTACHED TO METAL SURFACES. THE HOOK'S MOVABLE BEARING ENSURES PRECISE INTERNAL AND EXTERNAL MEASUREMENTS. THE RUBBERISED HOUSING IS EASY TO HANDLE, VERY ROBUST AND EASY TO CLEAN. THE TAPE MEASURE CAN BE TRANSPORTED BY MEANS OF A POCKET CLIP.



BETTER EQUIPMENT



| | Length | Width |
|--------|--------|-------|
| TRX 5 | 5 m | 32 mm |
| TRX 8 | 8 m | 32 mm |
| TRX 10 | 10 m | 32 mm |

| | Article no. | EAN code |
|--------|-------------|-----------------|
| TRX 5 | 606.102-5 | 4 021563 729821 |
| TRX 8 | 606.102-8 | 4 021563 729838 |
| TRX 10 | 606.102-10 | 4 021563 729845 |






BETTER EQUIPMENT

4K5 RMX 3/5/5+/8

ROBUST TAPE MEASURE, PRINTED ON BOTH SIDES,
WITH MAGNETIC HOOK



- Easy to read from any position, tape measure printed on both sides (horizontal/vertical)
- Magnetic hook on the end for attaching to metal surfaces
- Hook position can be adjusted for precise internal and external measurement
- Easy-to-use stop button for locking the tape
- Easy to transport with pocket clip or hand grip
- Robust, rubberised housing sits comfortably in the hand
- Quick and easy to clean
- RMX 5+ its high level of stiffness is kink-resistant up to an extension length of 2 metres



| | Length | Width |
|--------|--------|-------|
| RMX 3 | 3 m | 19 mm |
| RMX 5 | 5 m | 19 mm |
| RMX 5+ | 5 m | 25 mm |
| RMX 8 | 8 m | 25 mm |

| | Article no. | EAN code |
|--------|-------------|-----------------|
| RMX 3 | 606.100-3 | 4 021563 715855 |
| RMX 5 | 606.100-5 | 4 021563 715862 |
| RMX 5+ | 606.100-6 | 4 021563 727629 |
| RMX 8 | 606.100-8 | 4 021563 715879 |

4K5 PPX 5

COMPACT, STEEL TAPE MEASURE PRINTED ON BOTH SIDES
WITH OPTIMUM LEGIBILITY IN BRIGHT LIGHTING CONDITIONS



- Easy to read from any position, tape measure printed on both sides (horizontal/vertical)
- Combination of black tape, white figures and white scale greatly reduces reflection from bright light
- Extremely easy to use due to compact design
- Hook position can be adjusted for precise internal and external measurement
- Easy-to-use stop button for locking the tape
- Simple transport with pocket clip or hand grip
- Robust, rubberised housing sits comfortably in the hand



| | Length | Width |
|-------|--------|-------|
| PPX 5 | 5 m | 19 mm |

| | Article no. | EAN code |
|-------|-------------|-----------------|
| PPX 5 | 606.101-5 | 4 021563 728428 |

Packaging

10 Pieces in display box

4K5


BETTER EQUIPMENT



4K5
30^{15mm}m
LONGMETER FIBRE
LMF 30

4K5 SM 30/50


STEEL TAPE MEASURE FOR LONG DISTANCES
WITH CLAMPING HOOK, ADJUSTABLE EYELET AND
ERGONOMIC GRIP



- Suitable for measuring long distances
- Adjustable hook and effective fixing
- Measurements can be completed by one person only
- Continuous, easy to read scale
- Different scales on front and reverse to suit the application
- Winds up quickly with crank
- Ergonomic grip ensures convenient use

4K5


BETTER EQUIPMENT




| Length | Article no. | EAN code |
|--------|-------------|-----------------|
| 30 m | 606.103-30 | 4 021563 717316 |
| 50 m | 606.103-50 | 4 021563 717323 |

4K5 LMF30/50

FIBREGLASS TAPE MEASURE FOR LONG DISTANCES
WITH CLAMPING HOOK, ADJUSTABLE EYELET AND
ERGONOMIC GRIP



- Suitable for measuring long distances
- Clamping hook and adjustable eyelet for secure fixing to the measured object
- Measurements can be completed by one person only
- Different scales on front and reverse to suit the application
- Fibreglass tape with continuous, easy to read scale
- Winds up quickly with crank and practical 3:1 ratio
- Crank can be disengaged when pulling the belt out by hand: avoids jamming or crushing hands




| Length | Article no. | EAN code |
|--------|-------------|-----------------|
| 30 m | 606.104-30 | 4 021563 717330 |
| 50 m | 606.104-50 | 4 021563 717347 |

4K5 RMS 20 / RMF 20

EASY TO READ TAPE MEASURE, PRINTED ON BOTH SIDES, WITH CLAMPING HOOK AND ADJUSTABLE EYELET



- Clamping hook and adjustable eyelet for secure fixing to the measured object
- Measurements can be completed by one person only
- Different scales on front and reverse to suit the application
- Winds up quickly with crank and practical 3:1 ratio
- Robust, rubberised housing sits comfortably in the hand
- Quick and easy to clean
- Steel tape ideal for precise measurements on metal structures, even with temperature fluctuations: Tape expands together with the measurement object thanks to similar thermal expansion factor
- Glass fibre tape remains constant in length even with temperature fluctuations



4K5

BETTER EQUIPMENT



| | Length | Material tape |
|--------|--------|---------------|
| RMS 20 | 20 m | Steel |
| RMF 20 | 20 m | Fibreglass |

| | Article no. | EAN code |
|--------|-------------|-----------------|
| RMS 20 | 606.101-20 | 4 021563 717293 |
| RMF 20 | 606.102-20 | 4 021563 717309 |

4K5 FR 2R / 2X

STABLE FOLDING RULE WITH INTEGRAL ANGLE GAUGE



- Robust wooden profile with easy to read figures and scale
- Integral angle gauge for aligning fixed slopes
- Precise, high-quality locking joints prevent inaccurate measurements
- Durable coating protects against moisture and dirt
- Metal end caps prevent wear

| | |
|-------------|-----------------|
| FR 2R | |
| Colour | red |
| Article no. | 606.101-2 |
| EAN code | 4 021563 716852 |

| | |
|-------------|-----------------|
| FR 2X | |
| Colour | white/yellow |
| Article no. | 606.105-2 |
| EAN code | 4 021563 719297 |

4K5 DHM

EFFECTIVE DEEP HOLE MARKER WITH INTEGRAL SHARPENER



- For precise marking, tracing and writing on wood, metal, ceramic and concrete
- Perfect for hard-to-reach locations
- Simply push the top of the cap to advance the core as required
- Quick sharpening with integral sharpener
- Cores can be easily inserted from the top of the pencil
- Fits comfortably in the hand and offers a secure grip
- Easy operation with one hand
- Pocket clip makes it easy to carry around
- Markings on smooth surfaces can be wiped off with a damp cloth
- 6 replacement cores

4K5 LE 6G / 6M

REPLACEMENT CORES FOR DEEP HOLE MARKERS AND MECHANICAL PENCILS



- 6 replacement cores for precise marking
- Suitable for 4K5 DHM deep hole marker and many other mechanical pencils

4K5 ZI 240


CARPENTER'S PENCIL SET INCLUDING SHARPENER



- Five carpenter's pencils for easy marking up
- Professional sharpener for use with all common carpenter's pencils



BETTER EQUIPMENT



| DHM | |
|-------------|-----------------|
| Article no. | 601.104A |
| EAN code | 4 021563 721023 |

| LE 6G | |
|-------------|-----------------|
| Colour | graphite |
| Article no. | 601.104.1 |
| EAN code | 4 021563 721047 |

| LE 6M | |
|-------------|-----------------------|
| Colour | graphite, yellow, red |
| Article no. | 601.104.2 |
| EAN code | 4 021563 721054 |

| Length | Article no. | EAN code |
|--------|-------------|-----------------|
| 24 cm | 601.102A | 4 021563 713899 |

4K5 KNIVES AND TOOLS

UTILITY SAFETY KNIVES · UTILITY SNAP-OFF KNIVES · MULTITOOl · SHEARS · FOLDING KNIVES · PLIERS



UTILITY SAFETY KNIVES · UTILITY SNAP-OFF KNIVES · MULTITOOL · SHEARS · FOLDING KNIVES · PLIERS

4K5 BLACK SERIES

YOU ONLY REALISE HOW GOOD A WORK KNIFE REALLY IS WHEN YOU USE IT HARD
ON THE CONSTRUCTION SITE. ON THE CONSTRUCTION SITE. WITH THE BLACK SERIES,
YOU ARE IDEALLY EQUIPPED FOR ANY TASK.




4K5 TK 110 C

HIGH-QUALITY FOLDING KNIFE WITH DURABLE STAINLESS STEEL BLADE



- Corrosion-resistant blade made from 440C stainless steel with stonewash finish for long-term high sharpness
- Thumb-rest for safe knife guidance
- Secure and easy to operate back-lock
- Comfortable nylon grip with ergonomic finger moulding and integral loop
- Belt clip for easy fastening
- Optimum storage in a high-quality nylon holster for carrying either horizontally or vertically



| Article no. | EAN code |
|-------------|-----------------|
| 600.110A | 4 021563 727605 |


Scope of delivery
TK 110 C, Nylon holster

4K5 PK 74 C

COMPACT FOLDING KNIFE WITH 440C STAINLESS STEEL, CORROSION-RESISTANT BLADE AND INTEGRAL BOTTLE OPENER



- Corrosion-resistant blade made from 440C stainless steel with stonewash finish for long-term high sharpness
- Liner lock keeps the blade in the open position
- Comfortable nylon fibreglass grip with ergonomic finger moulding and integral loop
- Integral bottle opener makes this folding knife a useful tool during breaks as well
- Belt clip for easy fastening
- Extremely practical design



| Article no. | EAN code |
|-------------|-----------------|
| 600.074A | 4 021563 730629 |

Scope of delivery
PK 74 C

4K5 BLACK SERIES

4K5 HARD AS STEEL

THE NEW GENERATION OF WORK KNIVES IMPRESSES WITH TOP QUALITY, FIRST-CLASS CUTTING PERFORMANCE, LONG-LASTING SHARPNESS AND CORROSION-RESISTANT BLADES MADE OF HIGH-QUALITY SK 2 STEEL, SK 4 STEEL OR 440C STAINLESS STEEL.


THESE WORK KNIVES OFFER SOPHISTICATED FEATURES SUCH AS INTEGRATED BLADE MAGAZINES, MAGNET-BITHALTER, AN ADDITIONAL SCRAPER FUNCTION AND ADJUSTABLE POSITIONS THAT PERFECTLY SUIT THE RESPECTIVE APPLICATION SITUATION. WHETHER ON THE CONSTRUCTION SITE OR IN OTHER DEMANDING AREAS - OUR BLACK-SERIES KNIVES ARE YOUR RELIABLE COMPANIONS.

4K5 TKS 300

DURABLE FOLDING KNIFE WITH REPLACEABLE TRAPEZOIDAL BLADES AND INTEGRATED BLADE MAGAZINE



- Extremely sharp, replaceable trapezoidal blade made from high-quality and durable SK 2 steel
- Adjustable 45° and 90° positions of the blade to adapt to specific requirements, increased precision and control of the cutting depth
- Perfect for cutting carpets and opening packaging
- Very durable housing made of aluminium alloy
- Integral blade magazine for optimum storage of spare blades
- Thumb-rest for safe knife guidance
- Button lock keeps the blade in the open position
- Belt cutter tool
- Quick blade replacement – no additional tools required
- Fits easily in trouser pockets due to compact size
- Belt clip for easy fastening




| Article no. | EAN code |
|-------------|-----------------|
| 600.311A | 4 021563 730841 |

Scope of delivery
TKS 300, 4 Blades

4K5 TKX 310

MULTIFUNCTIONAL FOLDING KNIFE WITH REPLACEABLE TRAPEZOIDAL BLADES, INTEGRATED BLADE MAGAZINE, BIT HOLDER AND BITS



- Ultra-sharp, replaceable trapezoidal blade made from high-quality, durable SK 4 steel
- STANDARD NORM ADAPTER: Integrated hexagonal bit holder with the most common size (1/4 inch/6.35 mm) and bits for crosshead and slotted screws increase the flexibility
- Adjustable 45° and 90° positions of the blade to adapt to specific requirements, increased precision and control of the cutting depth
- Lightweight and highly durable housing made of zinc alloy
- Integral blade magazine for optimum storage of spare blades
- Button lock keeps the blade in the open position
- Belt cutter tool
- Quick blade replacement – no additional tools required
- Ideal for cutting plasterboard or screwing in screws

| Article no. | EAN code |
|-------------|-----------------|
| 600.310A | 4 021563 730292 |

| Scope of delivery |
|-------------------|
| TKX 310, 3 Blades |

4K5 TKX 320

FLEXIBLE FOLDING KNIFE WITH REPLACEABLE TRAPEZOIDAL BLADES, INTEGRAL SCRAPER FUNCTION AND BLADE MAGAZINE



- Ultra-sharp, replaceable trapezoidal blade made from high-quality, durable SK 4 steel
- Adjustable 45° and 90° positions of the blade to adapt to specific requirements, increased precision and control of the cutting depth
- Scraper function that can be adjusted by thumb, perfect for removing paint and adhesive residue
- Lightweight and highly durable housing made of zinc alloy
- Integral blade magazine for optimum storage of spare blades
- Button lock keeps the blade in the open position
- Quick blade replacement – no additional tools required
- Ideal for cutting carpets, cardboard, adhesive tape and wallpaper

| Article no. | EAN code |
|-------------|-----------------|
| 600.320A | 4 021563 730308 |

| Scope of delivery |
|-------------------|
| TKX 320, 3 Blades |



BETTER EQUIPMENT




4K5 TK 100

ROBUST FOLDING KNIFE WITH PARTIAL SMOOTH AND SERRATED GRIND ON THE BLADE



- Sharp, corrosion-resistant steel blade ensures precise work and a clean cut
- Partially smooth and serrated grind on the blades for use in many different areas
- Easy to use – unlock the blade by pressing a button
- Liner lock reliably keeps the blade in the open position
- Comfortable polymer grip with ergonomic finger moulding and integral loop
- Belt clip for easy fastening
- Optimum storage in a high-quality nylon holster for carrying either horizontally or vertically



| Article no. | EAN code |
|-------------|-----------------|
| 600.100A | 4 021563 711567 |


| Scope of delivery |
|-----------------------|
| TK 100, Nylon holster |

4K5 TK 101

ROBUST FOLDING KNIFE WITH CURVED BLADE



- A curved corrosion-resistant steel blade easily cuts through the material without any effort
- Thumb-rest for safe knife guidance
- Easy to use – unlock the blade by pressing a button
- Liner lock reliably keeps the blade in the open position
- Comfortable polymer grip with ergonomic finger moulding and integral loop
- Belt clip for easy fastening
- Optimum storage in a high-quality nylon holster for carrying either horizontally or vertically



| Article no. | EAN code |
|-------------|-----------------|
| 600.101A | 4 021563 711574 |


| Scope of delivery |
|-----------------------|
| TK 101, Nylon holster |

4K5 TK 104

ROBUST FOLDING KNIFE WITH SATIN FINISH BLADE



- An extremely satin-finished corrosion-resistant steel blade ensures precise work and a clean cut
- Easy to use – unlock the blade by pressing a button
- Liner lock reliably keeps the blade in the open position
- Comfortable polymer grip with ergonomic finger moulding and integral loop
- Belt clip for easy fastening
- Optimum storage in a high-quality nylon holster for carrying either horizontally or vertically



| Article no. | EAN code |
|-------------|-----------------|
| 600.104A | 4 021563 717699 |


| Scope of delivery |
|-----------------------|
| TK 104, Nylon holster |

4K5 PK 71

COMPACT FOLDING KNIFE WITH CURVED BLADE AND INTEGRAL BOTTLE OPENER



- A curved corrosion-resistant steel blade easily cuts through the material without any effort
- Thumb-rest for safe knife guidance
- Liner lock reliably keeps the blade in the open position
- Comfortable nylon fibreglass grip with ergonomic finger moulding and integral loop
- Integral bottle opener makes this folding knife a useful tool during breaks as well
- Belt clip for easy fastening
- Extremely practical design



| Article no. | EAN code |
|-------------|-----------------|
| 600.071A | 4 021563 729067 |


| Scope of delivery |
|-------------------|
| PK 71 |

4K5 TK 200

HEAVY-DUTY KNIFE WITH FIXED BLADE



- Clean cutting even on heavy-duty jobs
- Extremely robust, fully integrated blade made from corrosion-resistant steel
- Safe and convenient cutting due to practical polymer grip
- Thumb-rest for safe knife guidance
- Practical fitted loop
- Optimum storage in high-quality solid holster with robust nylon fittings for carrying either horizontally or vertically



| Article no. | EAN code |
|-------------|-----------------|
| 600.200A | 4 021563 711581 |

Scope of delivery
TK 200, Hardcover holster

4K5 TK 300

EFFECTIVE FOLDING KNIFE WITH REPLACEABLE STRAIGHT BLADE



- Sharp, replaceable straight blade with satin finish surface
- Perfect for cutting carpets and opening packaging
- Thumb-rest for safe knife guidance
- Comfortable polymer grip with ergonomic finger moulding and integral loop
- Button lock keeps the blade in the open position
- Belt cutter tool
- Quick blade replacement – no additional tools required
- Belt clip for easy storage
- Optimum storage in a high-quality nylon holster, including blade magazine insert, for carrying either horizontally or vertically
- Belt clip for easy fastening



| Article no. | EAN code |
|-------------|-----------------|
| 600.300A | 4 021563 711598 |

Scope of delivery
TK 300, 5 Blades, Nylon holster

4K5 UKR

**ROBUST SAFETY UTILITY SNAP-OFF KNIFE
WITH STRAIGHT BLADE, ROPE CUTTER AND
INTEGRAL BLADE STORAGE**



- Powerful cut even through resistant materials
- Extremely safe and convenient to use
- 2 blade extension positions (long/short) to suit the respective requirement
- Quick blade replacement – no additional tools required
- Integral blade magazine for optimum storage of spare blades
- Belt cutter tool
- Ergonomic design and non-slip thumb-rest
- Robust and rubberised housing made from a zinc alloy-TPR combination
- Practical fitted loop

4K5 UK

**LIGHTWEIGHT AND STABLE SAFETY SNAP-OFF KNIFE
WITH TRAPEZOIDAL BLADE, STRAP CUTTER AND INTEGRAL
BLADE MAGAZINE**



- Extremely sharp, replaceable trapezoidal blade made of high-quality and durable SK 2 steel with carbon coating
- Powerful cut even through resistant materials
- Quick blade replacement – no additional tools required
- Integral blade magazine for optimum storage of spare blades
- Belt cutter tool
- 3 locking positions (long/medium/short) to suit the respective requirement
- Ergonomic design and non-slip thumb-rest
- Lightweight and sturdy housing made of a combination of aluminium ABS

4K5

BETTER EQUIPMENT



| Article no. | EAN code |
|-------------|-----------------|
| 600.308A | 4 021563 719662 |

Scope of delivery

UKR, 5 Blades



| Article no. | EAN code |
|-------------|-----------------|
| 600.316 | 4 021563 730254 |

Packaging

20 Pieces in display box

Scope of delivery


UK, 3 Blades

4K5 CRX 18

PRECISION, HIGH-QUALITY UTILITY KNIFE WITH LOCKING WHEEL AND CORROSION-RESISTANT, CARBON-COATED SNAP-OFF BLADES



- Extremely sharp, carbon-coated and corrosion-resistant snap-off blades for smooth cutting
- Locking wheel for high safety and accuracy due to clearance-free location of the blade
- Convenient automatic blade lock
- Robust and stable metal blade guide for heavy-duty work
- Ergonomic design and non-slip thumb-rest
- Quick blade replacement – no additional tools required
- Blade length easily adjustable
- Practical fitted loop



| Article no. | EAN code |
|-------------|-----------------|
| 600.306A | 4 021563 719648 |

Scope of delivery


CRX 18, 5 Blades

4K5 CRX 25

HEAVY-DUTY, HIGH-QUALITY UTILITY KNIFE WITH LOCKING WHEEL AND CORROSION-RESISTANT, CARBON-COATED SNAP-OFF BLADES



- Extremely sharp, carbon-coated and corrosion-resistant snap-off blades for smooth cutting
- Locking wheel for high safety and accuracy due to clearance-free location of the blade
- Robust metal blade guide for heavy-duty work
- Convenient automatic blade lock
- Ergonomic design and non-slip thumb-rest
- Quick blade replacement – no additional tools required
- Blade length easily adjustable
- Practical fitted loop



| Article no. | EAN code |
|-------------|-----------------|
| 600.307A | 4 021563 719655 |

Scope of delivery

CRX 25, 5 Blades

4K5 CR 9

COMPACT, HIGH-QUALITY UTILITY KNIFE WITH CORROSION-RESISTANT, CARBON-COATED SNAP-OFF BLADES



- Extremely sharp, carbon-coated and corrosion-resistant snap-off blades or smooth cutting
- Precise cutting even in difficult to reach places
- Stable metal blade guide
- Extremely easy to use due to compact design
- Convenient automatic blade lock
- Ergonomic design and non-slip thumb-rest
- Quick blade replacement – no additional tools required

4K5 CR 9 S

COMPACT AND HIGH-QUALITY SNAP-OFF KNIFE IN SCALPEL DESIGN WITH CORROSION-RESISTANT, ACUTE-ANGLED AND CARBON-COATED SNAP-OFF BLADES



- Extremely sharp, carbon-coated and corrosion-resistant snap-off blades for smooth cutting
- Acute-angled blade shape for precise cutting with minimal use of force, even in hard-to-access places
- Carbon coating reduces the attachment of residues from adhesives, adhesive tape or paint
- Stable metal blade guide
- Extremely easy to use due to compact design

4K5 CR 18


ROBUST, HIGH-QUALITY UTILITY KNIFE WITH CORROSION-RESISTANT, CARBON-COATED SNAP-OFF BLADES



- Extremely sharp, carbon-coated and corrosion-resistant snap-off blades for smooth cutting
- Robust metal blade guide for heavy-duty work
- Carbon coating reduces the attachment of residues from adhesives, adhesive tape or paint
- Convenient automatic blade lock
- Ergonomic design and non-slip thumb-rest

4K5


BETTER EQUIPMENT



| Article no. | EAN code |
|-------------|-----------------|
| 600.304A | 4 021563 719624 |

Scope of delivery


CR 9, 5 Blades



| Article no. | EAN code |
|-------------|-----------------|
| 600.314A | 4 021563 728503 |

Scope of delivery

CR 9 S, 5 Blades



| Article no. | EAN code |
|-------------|-----------------|
| 600.305A | 4 021563 719631 |

Scope of delivery


CR 18, 5 Blades

4K5 C 18

STABLE CUTTER KNIFE WITH RUST-PROOF, CARBON-COATED SNAP-OFF BLADE



- Extremely sharp, carbon-coated and corrosion-resistant snap-off blade made of SK 2 steel for smooth cutting
- Robust metal blade guide for heavy-duty work
- Carbon coating reduces the attachment of residues from adhesives, adhesive tape or paint
- Convenient automatic blade lock



Article no. 600.315 EAN code 4 021563 728756

Packaging 20 Pieces in display box


Scope of delivery C 18, 1 Blade

4K5 CL 18

ROBUST, SNAP-OFF KNIFE WITH CORROSION-RESISTANT, CARBON-COATED SNAP-OFF BLADE AND OPTIMUM GRIP



- Extremely sharp, carbon-coated and corrosion-resistant snap-off blade made of SK 2 steel for smooth cutting
- Widened housing for optimum grip and increased stability
- Robust metal blade guide for heavy-duty work
- Carbon coating reduces the attachment of residues from adhesives, adhesive tape or paint
- Convenient automatic blade lock



Article no. 600.317 EAN code 4 021563 730414

Packaging 20 Pieces in display box


Scope of delivery CL 18, 1 Blade

4K5 CKA 18

ROBUST, HIGH-QUALITY SNAP-OFF KNIFE WITH ALUMINIUM HOUSING AND CORROSION-RESISTANT, CARBON-COATED SNAP-OFF BLADE



- Extremely sharp, carbon-coated and corrosion-resistant snap-off blades for smooth cutting
- Robust metal blade guide for heavy-duty work
- Carbon coating reduces the attachment of residues from adhesives, adhesive tape or paint
- Secure grip due to durable aluminium housing with non-slip thumb-rest, ergonomic rubber inserts and integral loop
- Convenient automatic blade lock



Article no. 600.318 EAN code 4 021563 728763

Packaging 20 Pieces in display box

Scope of delivery CKL 18, 1 Blade

4K5 CK 301

PRACTICAL UTILITY KNIFE WITH SATIN FINISH SNAP-OFF BLADES



- Sharp, satin finish snap-off blades for clean cuts
- Easy to use due to compact design
- Precise cutting even in difficult to reach places
- Convenient automatic blade lock
- Ergonomic design and non-slip thumb-rest
- Removable end cap with groove to easily snap off used blade segments
- Quick blade replacement – no additional tools required

4K5 CK 302

ROBUST UTILITY KNIFE WITH SATIN FINISH SNAP-OFF BLADES



- Sharp, satin finish snap-off blades for clean cuts
- Robust metal blade guide for heavy-duty work
- Convenient automatic blade lock
- Ergonomic design and non-slip thumb-rest
- Removable end cap with groove to easily snap off used blade segments
- Quick blade replacement – no additional tools required

4K5 CK 303


STABLE UTILITY KNIFE WITH SATIN FINISH SNAP-OFF BLADES AND ADDITIONAL LOCKING WHEEL



- Sharp, satin finish snap-off blades for clean cuts
- Extremely safe and accurate due to extra locking wheel
- Robust metal blade guide for heavy-duty work
- Ergonomic design and non-slip thumb-rest
- Removable end cap with groove to easily snap off used blade segments
- Quick blade replacement – no additional tools required

4K5


BETTER EQUIPMENT



| Article no. | EAN code |
|-------------|-----------------|
| 600.301A | 4 02156 3711628 |

Scope of delivery


CK 301, 5 Blades



| Article no. | EAN code |
|-------------|-----------------|
| 600.302A | 4 021563 711642 |

Scope of delivery

CK 302, 5 Blades



| Article no. | EAN code |
|-------------|-----------------|
| 600.303A | 4 021563 711666 |

Scope of delivery

CK 303, 5 Blades

4K5 REPLACEMENT BLADES

EXTREMELY SHARP CARBON BLADES WITH TRIPLE CUTTING EDGE

LONG LIFE CARBON BLADE

HIGH-QUALITY CARBON-COATED

REPLACEMENT BLADES MADE OF STAINLESS STEEL. THEY ARE ALSO IDEAL FOR CUTTING RESISTANT MATERIALS.



TRIPLE CUTTING EDGE

TRIPLE CUTTING EDGE WITH LASER FINISH FOR EXTREME SHARPNESS AND LONG SERVICE LIFE. THE REPLACEMENT BLADES DELIVER A PRECISE AND PERFECT CUTTING PATTERN.

CB 25 B

For: CRX 25 • 600.307A



| | |
|-------------|-----------------|
| Blade | 25 mm |
| Content | 10 x |
| Packaging | Card |
| Article no. | 600.307.1 |
| EAN code | 4 021563 719693 |

TI 10 B

For: TKS 300 • 600.311A
UK • 600.316



TI 10 B MAXI-PACK

For: TKS 300 • 600.311A
UK • 600.316



| | |
|-------------|-----------------|
| Blade | Trapez |
| Content | 10 x |
| Packaging | Pack |
| Article no. | 600.300.0 |
| EAN code | 4 021563 727339 |

| | |
|-------------|-----------------|
| Blade | Trapez |
| Content | 50 x |
| Packaging | Box |
| Article no. | 600.300.5 |
| EAN code | 4 021563 727186 |

4K5 REPLACEMENT BLADES

EXTREMELY SHARP CARBON BLADES WITH TRIPLE CUTTING EDGE

CB 9 B

For: CR 9 · 600.304A



Blade 9 mm
Content 10 x
Packaging Card
Article no. 600.304.1
EAN code 4 021563 719679

CB 18 B

For: CR 18 · 600.305A, CRX 18 · 600.306A
C 18 · 600.315, CL 18 · 600.317, CKA 18 · 600.318



Blade 18 mm
Content 10 x
Packaging Card
Article no. 600.305.1
EAN code 4 021563 719686

CB 18 B

For: CR 18 · 600.305A, CRX 18 · 600.306A
C 18 · 600.315, CL 18 · 600.317, CKA 18 · 600.318



Blade 18 mm
Content 10 x
Packaging Pack
Article no. 600.305.0
EAN code 4 021563 727346

CB 18 B MAXI-PACK

For: CR 18 · 600.305A, CRX 18 · 600.306A
C 18 · 600.315, CL 18 · 600.317, CKA 18 · 600.318



Blade 18 mm
Content 50 x
Packaging Box
Article no. 600.305.5
EAN code 4 021563 727162

4KS REPLACEMENT BLADES

HIGH-QUALITY BLADES MADE FROM SATINISED STEEL

CB 9

For: CK 301 · 600.301A



CB 18

For: CK 302 · 600.302A



CB 25

For: CK 303 · 600.303A



Blade 9 mm
Content 10x
Packaging Pack
Article no. 600.301.1
EAN code 4 021563 711635

Blade 18 mm
Content 10x
Packaging Pack
Article no. 600.302.1
EAN code 4 021563 711659

Blade 25 mm
Content 10x
Packaging Pack
Article no. 600.303.1
EAN code 4 021563 711673

TI 10

For: UKR · 600.308A, TK 300 · 600.300A
 TKX 310 · 600.310A, TKX 320 · 600.320A



TI 20

For: UKR · 600.308A, TK 300 · 600.300A
 TKX 310 · 600.310A, TKX 320 · 600.320A



HI 10

For: UKR · 600.308A
 TK 300 · 600.300A, TKX 310 · 600.310A, TKX 320 · 600.320A



Blade Trapezoid
Content 10x
Packaging Pack
Article no. 600.300.1
EAN code 4 021563 711604

Blade Trapezoid
Content 20x
Packaging Card
Article no. 600.308.1
EAN code 4 021563 719709

Blade Hook
Content 10x
Packaging Pack
Article no. 600.300.2
EAN code 4 021563 711611



THIS PRACTICAL, FOLDABLE MULTITool COMBINES MANY USEFUL FUNCTIONS INTO THE BODY OF ONE SET OF PLIERS. THIS INCLUDES SPRUNG PLIERS WITH WIRE CUTTER, PHIL-LIPS AND SLOTTED SCREWDRIVERS, SAW, DOUBLE-SIDED FILE, TIN OPENER AND BOTTLE OPENER. ALL THE TOOLS

ARE MADE FROM ROBUST, BLACK-COATED STAINLESS STEEL. THE POLYMER GRIPS SIT COMFORTABLY IN THE HAND FOR EASY USE. A NYLON HOLSTER IS INCLUDED IN THE DELIVERY FOR EASY STORAGE ON A BELT.

4K5 MT 400

FOLDABLE MULTITOOl - VERSATILE AID FOR WORK AND EVERYDAY USE



| Article no. | EAN code |
|-------------|-----------------|
| 600.400A | 4 021563 711680 |

| Scope of delivery |
|-------------------|
| MT 400, Holster |

4K5 MT 401

EXTREMELY COMPACT, FOLDABLE MULTITOOl - VERSATILE AID FOR WORK AND EVERYDAY USE



| Article no. | EAN code |
|-------------|-----------------|
| 600.401A | 4 021563 711697 |

| Scope of delivery |
|-------------------|
| MT 401, Holster |

- Many useful functions combined in the body of one pair of pliers
- Practical tool for work and everyday use
- Range of uses including shears, pliers, wire cutters, Phillips or slotted screwdriver, saw, double-sided file and bottle opener
- All tools made from robust, black-coated stainless steel
- Every tool is safely locked in position once folded out
- Convenient use due to comfortable polymer grips
- Nylon holster for easy storage on a belt
- Compact foldable design fits in any pocket

4K5 PCX 45

PRECISE AND UNIVERSAL PIPE CUTTER FOR PLASTIC AND ALUMINIUM COMPOSITE PIPES WITH ADJUSTABLE SIZING




- Accurately cut plastic or aluminium composite pipes such as PP, PE, PEX, PB and PVDF
- Sizing can be adjusted from 27 to 45 mm as required
- Very efficient transmission of forces for minimum effort
- Clean, burr-free cut edge with minimum effort due to V-shaped, high-quality, SK 5 steel blade
- Ergonomic housing with optimum grip and force transmission
- Robust cast aluminium body

THIS PIPE CUTTER IS SUITABLE FOR PLASTIC AND ALUMINIUM COMPOSITE PIPES MADE FROM PP (POLYPROPYLENE), PE, (POLYETHYLENE), PB (POLYBUTENE) AND PVDF (POLYVINYLIDENE FLUORIDE). IT IS AN EXTREMELY VERSATILE TOOL DUE TO THE ADJUSTABLE SIZING OF 27 TO 45 MM. THE V-SHAPED BLADE IS MADE FROM SK 5 STEEL WHICH FEATURES A ROCKWELL HARDNESS OF APPROXIMATELY 60 HRC. THE BLADE HAS EXCELLENT CUTTING PROPERTIES THANKS TO THIS HIGH HARDNESS AND PRODUCES A CLEAN, BURR-FREE CUT EDGE. FURTHER ADVANTAGES OF A BLADE MADE OF SK 5 STEEL ARE ITS EXCELLENT WEAR RESISTANCE, WHICH ENABLES A PERMANENTLY HIGH CUTTING PERFORMANCE, AS WELL AS ITS HIGH BREAKING STRENGTH. THE HIGHLY EFFICIENT CUTTING ACTION PROTECTS THE USER FROM FATIGUE WHEN WORKING FOR LONGER PERIODS. THE ERGONOMIC HOUSING PROVIDES AN OPTIMUM GRIP AND TRANSMISSION OF FORCE, PERFECT FOR WORKING COMFORTABLY. THE ROBUST CAST ALUMINIUM BODY REMAINS DURABLE AND RELIABLE, EVEN UNDER DEMANDING CONDITIONS.



4K5

BETTER EQUIPMENT



| Article no. | EAN code |
|-------------|-----------------|
| 600.645A | 4 021563 730285 |


| Scope of delivery |
|-------------------|
| PCX 45 |

4K5 PC 42

ACCURATE AND VERSATILE PIPE CUTTER
FOR PLASTIC PIPES WITH ADJUSTABLE SIZING



- Cuts PVC, PP, PU and PE plastic pipes accurately
- Sizing can be adjusted from 26 to 42 mm as required
- Very efficient transmission of forces for minimum effort
- Clean, burr-free cut edge with minimum effort due to V-shaped, corrosion-resistant steel blade
- Non-stick coating minimises plastic residues on the blade and protects against wear
- Ergonomic housing with finger moulding, optimum grip, and good transmission of force



| Article no. | EAN code |
|-------------|-----------------|
| 600.642A | 4 021563 730278 |

| Scope of delivery |
|-------------------|
| PC 42 |

4K5 PC 32

PRECISE AND COMPACT PIPE CUTTER FOR PLASTIC PIPES



- Cuts PVC, PP, PU and PE plastic pipes accurately
- Suitable for diameters up to 32 mm
- Clean, burr-free cut edge with minimum effort due to V-shaped, corrosion-resistant steel blade
- Non-stick coating minimises plastic residues on the blade and protects against wear
- Ergonomic housing with finger moulding, optimum grip, and good transmission of force
- Extremely easy to use due to compact design



| Article no. | EAN code |
|-------------|-----------------|
| 600.632A | 4 021563 730247 |

| Scope of delivery |
|-------------------|
| PC 32 |

4K5 PDS 3

POWERFUL ELECTRIC SCREWDRIVER FOR FAST, COMFORTABLE AND FATIGUE-FREE WORK




PH2

SL5.5

- **FAST FIT:** Time-saving screw tightening, four times faster than manual tightening using a conventional hand screwdriver
- **COMFORT WORK:** No signs of fatigue such as calluses and blisters on the palms, even after numerous screwdriving operations
- **SLIM SPACE TOOL:** Low space required thanks to the wedge shape. Ideal for tight workspaces that cannot be accessed with a large tool
- **FINE SENSE:** The manual screw tightening is perfect for finely tightening of the last turns of the screw by hand
- **STANDARD NORM ADAPTER:** The hexagonal bit holder with the most common size (1/4 inch/6.35 mm), as well as the numerous compatible bits and adapters offer a high level of flexibility
- **SECURE LOCK:** Reliable safety lock for a secure tool fit when drilling and when pulling the screwdriver out of the workpiece
- **HIGH POWER:** Powerful drive thanks to an efficient triple planetary gearbox with precision gears
- **STRONG HAND LOCK:** Frictional manual turning up to 10 Nm thanks to an automatic parking brake
- **PRO POWER GRIP:** Spherical handle end provides an optimal transfer of torque when turning by hand
- **EASY CONTROL:** Direct keys for the easy selection of clockwise or anticlockwise rotation
- **AUTO LED:** Integrated automatic LED illumination of the screw-fixing areas
- **COMPACT SIZE:** Thanks to its handy design, the device can be stored in any tool bag or box
- **USB PORT:** Modern USB charging technology

4K5

BETTER EQUIPMENT



| Article no. | EAN code |
|-------------|-----------------|
| 610.300A | 4 021563 729005 |

Packaging
10 Pieces in display box

Scope of delivery
PDS 3
1 x 110 mm double-ended bit
(SL5 5 mm slotted, PH2 Phillips)
Micro USB cable



4K5 PDS 5 SET

POWERFUL MULTI-BIT SET FOR ELECTRIC SCREWDRIVER FOR FAST, COMFORTABLE AND FATIGUE-FREE WORK



PH1



PH2

SL5.5

- **FAST FIT:** Time-saving screw tightening, four times faster than manual tightening using a conventional hand screwdriver
- **COMFORT WORK:** No signs of fatigue such as calluses and blisters on the palms, even after numerous screwdriving operations
- **SLIM SPACE TOOL:** Low space required thanks to the wedge shape. Ideal for tight workspaces that cannot be accessed with a large tool
- **FINE SENSE:** The manual screw tightening is perfect for finely tightening of the last turns of the screw by hand
- **STANDARD NORM ADAPTER:** Hexagonal bit holder with the most common size (1/4 inch/6.35 mm)
- **ULTIMATE ADAPT:** Suitable for many different applications due to slotted, Phillips, Pozidriv, Torx and hexagon bits
- **SECURE LOCK:** Reliable safety lock for a secure tool fit when drilling and when pulling the screwdriver out of the workpiece
- **HIGH POWER:** Powerful drive thanks to an efficient triple planetary gearbox with precision gears
- **TORQUE ADJUST:** Adjustable torque (1 or 5 Nm) to suit the application
- **STRONG HAND LOCK:** Manual tightening up to 15 Nm thanks to automatic friction-locking mechanism
- **PRO POWER GRIP:** Spherical handle end provides an optimal transfer of torque when turning by hand
- **EASY CONTROL:** Direct keys for the easy selection of clockwise or anticlockwise rotation
- **AUTO LED:** Integrated automatic LED illumination of the screw-fixing areas
- **COMPACT SIZE:** Thanks to its handy design, the device can be stored in any tool bag or box
- **USB PORT:** Modern USB charging technology



15 pieces
25 mm bits



PH3 PH2 PH1



PZ3 PZ2 PZ1



SL5 SL4 SL3




T20 T15 T10



H5 H4 H3

4K5

BETTER EQUIPMENT



Article no. 610.500A
EAN code 4 021563 729012

Scope of delivery

PDS 5
3 x 25 mm Phillips bits (PH1, PH2, PH3)
3 x 25 mm Pozidriv bits (PZ1, PZ2, PZ3)
3 Torx bits (T10, T15, T20)
3 hexagon bits (3 mm, 4 mm, 5 mm)
3 slotted bits (0.5 x 3 mm, 0.5 x 4 mm, 0.6 x 5 mm)
2 x 75 mm Phillips bits (PH1, PH2)
1 x 75 mm double-ended bit (5.5 mm slotted, PH2 Phillips)
Adapter from 6.35 to 4 mm
Bit holder
Suspension line
USB-C-cable
Transport box



4K5 TS 500

ROBUST AND PRECISE SHEARS WITH HIGH-QUALITY
TITANIUM-COATED STAINLESS STEEL BLADES



- Permanently sharp due to titanium-coated stainless steel blades
- Powerful cut even through resistant materials
- Polymer grips for excellent force transmission and easy cutting
- Practical extra linear scale and screwdriver
- Can be used left-or right-handed

4K5 TS 501


ROBUST AND PRECISE SHEARS WITH HIGH-QUALITY
TITANIUM-COATED STAINLESS STEEL BLADES AND
ANGLED SHAPE




- Permanently sharp due to titanium-coated stainless steel blades
- Powerful cut even through resistant materials
- Polymer grips for excellent force transmission and easy cutting
- Angled shape perfect for long, straight cuts
- Practical extra linear scale and screwdriver
- Can be used left-or right-handed

4K5

BETTER EQUIPMENT



| Article no. | EAN code |
|-------------------|-----------------|
| 600.500A | 4 021563 711703 |
| Scope of delivery | |
| TS 500 | |



| Article no. | EAN code |
|-------------------|-----------------|
| 600.501A | 4 021563 711710 |
| Scope of delivery | |
| TS 501 | |

4K5 LIGHTS

WORK LIGHTS · TORCHES · LED HEAD TORCHES · CONSTRUCTION SITE SPOTLIGHT · PENCIL TORCHES



WORK LIGHTS · TORCHES · LED HEAD TORCHES · CONSTRUCTION SITE SPOTLIGHT · PENCIL TORCHES

4K5 FL 800



4K5 SL 350

COMPACT LED WORK LIGHT WITH SPOTLIGHT, SIDELIGHT AND MANY DIFFERENT FIXING OPTIONS



- Effective illumination by 100 lumens spotlight and steplessly dimmable 350 lumens sidelight
- Versatile attachment by hook, magnet or swivel stand
- Convenient switch to most recently used brightness level when switching on
- Easy to locate in the dark due to fluorescent reflector
- Compact design makes it easy to carry in a pocket
- Rechargeable via USB-C cable
- Integral lithium-ion rechargeable battery
- IP 54: protected against dust and splash water

4K5 PN 150

HANDY AND ROBUST LED PENCIL TORCH



- 150 lumens sidelight for effective illumination of the work area
- Depending on the requirement, the floodlight can be used at two luminosity levels (high/low)
- 100 lumens spotlight – perfect for work locations
- Hands-free working on metal constructions
- Pocket clip makes it easy to carry around
- Rechargeable via USB-C cable
- Integral lithium-ion rechargeable battery

4K5 PN 100


PRACTICAL AND STABLE LED PENCIL TORCH



- 100 lumens sidelight for effective illumination of the work area
- Depending on the requirement, the floodlight can be used at two luminosity levels (high/low)
- Spotlight perfect for tight work locations
- Hands-free working on metal constructions
- Pocket clip makes it easy to carry around
- Fast and easy battery change




BETTER EQUIPMENT




Article no. 602.205A EAN code 4 021563 718498

Scope of delivery
SL 350, USB-C cable



Article no. 602.308A EAN code 4 021563 718481

Scope of delivery
PN 150, USB-C cable



Article no. 602.309A EAN code 4 021563 724864

Scope of delivery
PN 100, 3 AAA Batteries

4K5 RA 500

WORK LIGHT WITH SWIVEL HEAD




- Effective luminosity of 500 lumens
- Four different light levels to suit requirements (High/Boost/Medium/Low)
- Head can be swivelled by 90° to suit the work location
- Easily attach to metal surfaces with magnets
- Pocket clip makes it easy to carry around
- Rechargeable via USB-C cable
- Integral lithium-ion rechargeable battery
- IP 65: dust-proof and jet water protected

| Article no. | EAN code | Scope of delivery |
|-------------|-----------------|---------------------|
| 602.200A | 4 021563 717378 | RA 500, USB-C cable |

4K5 FL 500

PRACTICAL WORK LIGHT




- Effective luminosity of 500 lumens
- Four different light levels to suit requirements (High/Boost/Medium/Low)
- Easily attach to metal surfaces with magnets
- Pocket clip makes it easy to carry around
- Compact design makes it easy to carry in a pocket
- Rechargeable via USB-C cable
- Integral lithium-ion rechargeable battery
- IP 65: dust-proof and jet water protected

| Article no. | EAN code | Scope of delivery |
|-------------|-----------------|---------------------|
| 602.203A | 4 021563 717859 | FL 500, USB-C cable |

4K5 RA 800

EXTREMELY POWERFUL WORK LIGHT WITH SWIVEL HEAD



- Powerful luminosity of 800 lumens
- Four different light levels to suit requirements (High/Boost/Medium/Low)
- Head can be swivelled by 90° to suit the work location
- Rotate the head for easy adjustment of the light beam
- Easy to read LED display provides information on battery capacity
- Easily attach to metal surfaces with magnets
- Fold-out hook for hanging
- Pocket clip makes it easy to carry around
- Rechargeable via USB-C cable
- Removable lithium-ion battery
- IP 65: dust-proof and jet water protected

| Article no. | EAN code | Scope of delivery |
|-------------|-----------------|---------------------|
| 602.204A | 4 021563 717866 | RA 800, USB-C cable |

4K5 FL 800

FOLD-OUT WORK LAMP WITH 180° SWIVELLING AND 360° ROTATABLE LIGHT HEAD



- Powerful luminosity of 800 lumens
- Four different light levels to suit requirements (High/Boost/Medium/Low)
- Very flexible due to 180° swiveling and 360° rotatable light head
- Easy to read LED display provides information on battery capacity
- Easily attach to metal surfaces with magnets
- Pocket clip makes it easy to carry around
- Rechargeable via USB-C cable
- Removable lithium-ion battery
- IP 65: dust-proof and jet water protected

| Article no. | EAN code | Scope of delivery |
|-------------|-----------------|---------------------|
| 602.201A | 4 021563 717385 | FL 800, USB-C cable |

4K5 PL SERIES



4K5 BATTERY SYSTEM

This system allows the use of several types of batteries or rechargeable batteries as required so that the client can adjust the lamp to his requirements and the circumstances (such as rechargeable batteries at home for quick recharging, batteries while travelling).



| | | | | | | | | | | |
|---------|---|---|---|---|---|---|---|---|---|---|
| PL 700 | • | | | | | | • | | • | • |
| PL 900 | • | • | • | • | • | • | • | • | • | • |
| PL 1000 | • | • | • | • | • | • | • | • | • | • |

EVERYTHING YOU NEED FOR RECHARGING

Universal USB charging device, charger with ICR18650 rechargeable battery with deep-discharge, overcharge and overcurrent protection as well as a USB car adapter (12 V / 24 V). The set is the perfect complement to 4K5 lights. Thanks to their battery system, they can use different energy sources and therefore provide particularly cost-effective and environmentally-friendly illumination. The 18650 Li-ion rechargeable battery that comes with the set can be used or 2 x CR123 batteries, 3 x AAA batteries or 3 x AAA rechargeable batteries.

4K5 PL 700

WORK LIGHT WITH ADJUSTABLE FOCUS



- High luminosity of 700 lumens
- Four different light levels to suit requirements (low/medium/high/strobe)
- Easy adjustment of the light beam to suit the situation
- Anodised and robust aluminium housing
- IPX 4: splashproof

4K5 PL 900

BRIGHT, WATERPROOF WORK LIGHT WITH ADJUSTABLE FOCUS



- High luminosity of 900 lumens
- Four different light levels to suit requirements (low/medium/high/strobe)
- Easy adjustment of the light beam to suit the situation
- Anodised and robust aluminium housing
- IPX 8: protected against water penetration during immersion

4K5 PL 1000


EXTREMELY BRIGHT WORK LIGHT WITH ADJUSTABLE FOCUS



- High luminosity of 1000 lumens
- Four different light levels to suit requirements (low/medium/high/strobe)
- Easy adjustment of the light beam to suit the situation
- Anodised and robust aluminium housing
- IPX 4: splashproof




BETTER EQUIPMENT



| Article no. | EAN code |
|-------------|-----------------|
| 602.305A | 4 021563 718269 |

Scope of delivery


PL 700, Micro-USB cable, Lithium-ion rechargeable battery, Hand grip, Holster



| Article no. | EAN code |
|-------------|-----------------|
| 602.306A | 4 021563 718276 |

Scope of delivery

PL 900, Charger, Micro-USB cable, Power supply, Battery clip, Charging sleeve, USB car adapter, Lithium-ion rechargeable battery, Hand grip, Holster



| Article no. | EAN code |
|-------------|-----------------|
| 602.307A | 4 021563 718283 |

Scope of delivery

PL 1000, Charger, Micro-USB cable, Power supply, Battery clip, Charging sleeve, USB car adapter, Lithium-ion rechargeable battery, Hand grip, Holster

4K5 HL 200 A

COMFORTABLE LED HEADLAMP - FREE HANDS FOR EVERY ACTIVITY



- Standard luminosity of 200 lumens
- Two different light levels depending on the requirement (High/Low)
- Gradual swiveling of the light head by up to 90° possible
- Secure hold due to rubber coating, no slipping or shifting
- High wearing comfort: Elastic headband, fits any head circumference
- Free hands during activity
- IP 54: protected against dust and splash water

4K5 HL 260 A


COMFORTABLE LED HEAD TORCH FOR HANDS - FREE WORKING



- Good luminosity of 260 lumens
- Three available light levels to suit the respective requirement (High/Medium/Low)
- Gradual swiveling of the light head by up to 90° possible
- Secure hold due to rubber coating, no slipping or shifting
- High wearing comfort: Elastic headband, fits any head circumference
- Free hands during activity
- IP 54: protected against dust and splash water




BETTER EQUIPMENT



| Article no. | EAN code |
|-------------|-----------------|
| 602.100A | 4 021563 717354 |

| Scope of delivery |
|--------------------------------------|
| HL 200 A, Head band, 3 AAA Batteries |



| Article no. | EAN code |
|-------------|-----------------|
| 602.101A | 4 021563 717361 |

| Scope of delivery |
|--------------------------------------|
| HL 260 A, Head band, 3 AAA Batteries |

4K5 WP 400

POWERFUL, EXTREMELY COMFORTABLE LED HEAD TORCH WITH AUTOMATIC DIM FUNCTION FOR HANDS-FREE WORKING



- Powerful luminosity of 400 lumens
- Three available light levels to suit the respective requirement (High/Medium/Low)
- Additional red and flashing red mode
- Gradual swiveling of the light head by up to 90° possible
- Automatic dimming for optimum assessment of close items
- Secure hold due to rubber coating, no slipping or shifting
- Rechargeable lithium-ion battery via USB-C cable
- Also suitable for battery operation
- IP 65: dust-proof and jet water protected

4K5 WP 550


EXTREMELY BRIGHT AND COMFORTABLE, EFFECTIVE LED HEAD TORCH WITH ON-MODE SENSOR FOR QUICK SWITCHING ON AND OFF



- Significant luminosity of 550 lumens
- Three available light levels to suit the respective requirement (High/Medium/Low)
- Additional red and flashing red mode
- Gradual swiveling of the light head by up to 90° possible
- Switch on and off by waving hand 2x in front of the sensor to save time
- Secure hold due to rubber coating, no slipping or shifting
- Rechargeable lithium-ion battery via USB-C cable
- Also suitable for battery operation
- IP 65: dust-proof and jet water protected




BETTER EQUIPMENT



| Article no. | EAN code |
|-------------|-----------------|
| 602.104A | 4 021563 717811 |

Scope of delivery

WP 400, Head band, 2 Hard hat retaining clamps, USB-C cable, Lithium-ion rechargeable battery




| Article no. | EAN code |
|-------------|-----------------|
| 602.106A | 4 021563 717835 |

Scope of delivery

WP 550, Head band, 2 Hard hat retaining clamps, USB-C cable, Lithium-ion rechargeable battery

4K5 WL 380

PRACTICAL LED WORK LIGHT WITH SPOTLIGHT, FLOODLIGHT AND MANY DIFFERENT FIXING OPTIONS



- Effective illumination by 280 lumens spotlight and 380 lumens floodlight
- The floodlight has three light levels (low/medium/high) and two spotlight levels (high/low) to suit all requirements
- Versatile attachment by hook, magnet or swivel stand
- Optimum positioning by tilting through up to 180°
- Compact design makes it easy to carry in a pocket
- Easy to read battery charge status display
- Rechargeable via USB-C cable
- Integral lithium-ion rechargeable battery
- IPX 5: jet water protected

| Article no. | EAN code |
|-------------|-----------------|
| 602.206A | 4 021563 724642 |

Scope of delivery
WL 380, USB-C cable



4K5 WL 1000

POWERFUL LED CONSTRUCTION SITE SPOTLIGHT WITH SPOTLIGHT, FLOODLIGHT AND MANY DIFFERENT FIXING OPTIONS



- Effective illumination by 250 lumens spotlight and 1000 lumens floodlight
- The floodlight has five light levels (low/medium/high/red/flashing red) and two spotlight levels (high/low) to suit all requirements
- Comprehensive range of fixing options – hook, magnet, stand or 1/4" tripod connection
- Optimum positioning by tilting through up to 180°
- Easy to read battery charge status display
- Rechargeable via USB-C cable
- Integral lithium-ion rechargeable battery
- IPX 5: jet water protected

| Article no. | EAN code |
|-------------|-----------------|
| 602.207A | 4 021563 724659 |

Scope of delivery
WL 1000, USB-C cable



4K5 WL 1500

HEAVY-DUTY LED CONSTRUCTION SITE SPOTLIGHT WITH FLOODLIGHT FUNCTION POWERBANK, AND MANY DIFFERENT FIXING OPTIONS




- Effective illumination with a 1500 lumens floodlight
- Six light levels available (high/medium/low/ultra-low/red/flashing red) to suit every application
- Comprehensive range of fixing options – hook, magnet, stand or 1/4" tripod connection
- Optimum positioning by tilting through up to 180°
- Usable as powerbank for charging mobile devices
- Easy to read battery charge status display
- Rechargeable via USB-C cable
- Integral lithium-ion rechargeable battery
- IPX 5: jet water protected

| | | |
|-----------------------------|-----------------------------------|--------------------------|
| OUTPUT 1500 LUMEN | LIGHTING TIME 5 - 139 h | BATTERY LI-ION |
| DIRECT CHARGING | POWER BANK USB | PORT USB-C |
| PORT USB-A | BATTERY STATUS | MAGNETIC |
| PROTECTION IPX 5 | | |

| Article no. | EAN code |
|-------------|-----------------|
| 602.208A | 4 021563 724666 |

| Scope of delivery |
|----------------------|
| WL 1500, USB-C cable |



4K5 HEAVY DUTY



4K5 HD 1500

SPLASH-PROOF LED CONSTRUCTION SITE SPOTLIGHT WITH STEPLESSLY ADJUSTABLE SPOTLIGHT AND FLOODLIGHT AS WELL AS COMPREHENSIVE RANGE OF FIXING OPTIONS



- Effective illumination by steplessly dimmable 1500 lumens floodlight and 500 lumens spotlight
- Diffuser for adjusting the light coverage
- Comprehensive range of fixing options – hook, magnet, stand or tripod connection
- Rotate the multi-functional bracket through 360° and tilt through 180° for perfect positioning
- High levels of safety due to object sensor system for identifying obstacles
- Effective power saving with human body sensor
- Floodlight has SOS function for use in emergencies
- Easy to locate in the dark due to fluorescent reflector
- Easy to read display for battery charging status and HBS status
- IP 65: dust-proof and jet water protected
- Integral lithium-ion rechargeable battery

4K5 HD 2000


POWERFUL, INSENSITIVE LED CONSTRUCTION SITE SPOTLIGHT WITH INTEGRAL POWERBANK, SUITABLE FOR USE WITH RECHARGEABLE BATTERIES



- Good vision due to luminosity of 2000 lumens
- Five lighting levels with easy to read indicator panel
- 180° tiltable bracket for easy positioning
- Usable as powerbank for charging mobile devices
- Easily attach to metal surfaces with magnets
- Suitable for fitting on tripods with a 1/4" thread
- Easy to locate in the dark due to fluorescent reflector
- Easy to read colour display for battery charging status with percentage value
- IP 67: dust-proof and can operate temporarily underwater
- Integral lithium-ion rechargeable battery




BETTER EQUIPMENT



| Article no. | EAN code |
|-------------|-----------------|
| 602.401A | 4 021563 718504 |

Scope of delivery
 HD 1500, Diffuser, Power supply, USB-C cable, Lithium-ion rechargeable battery



| Article no. | EAN code |
|-------------|-----------------|
| 602.402A | 4 021563 718511 |

Scope of delivery
 HD 2000, Power supply

4K5 HD 6000

POWERFUL, ROBUST LED CONSTRUCTION SITE SPOTLIGHT WITH INTEGRAL POWERBANK, SUITABLE FOR USE WITH RECHARGEABLE BATTERIES AND MAINS OPERATION



- Extremely powerful luminosity of 6000 lumens ensures excellent vision
- Five lighting levels with easy to read indicator panel
- Adjust brightness and switch off the device via the Light Control App
- 180° tiltable bracket with tripod connection for easy positioning
- Usable as powerbank for charging mobile devices
- Suitable for use with rechargeable batteries or mains supply
- Easy to locate in the dark due to fluorescent reflector
- Easy to read colour display for battery charging status with percentage value
- IP 67: dust-proof and can operate temporarily underwater
- Integral lithium-ion rechargeable battery



4K5 HD 6000 C


VERY POWERFUL LED CONSTRUCTION SITE SPOTLIGHT WITH USB CHARGING PORT FOR MOBILE DEVICES, SUITABLE FOR MAINS OPERATION



- Product version same as **HD 6000**
- Mains operation version




BETTER EQUIPMENT



| Article no. | EAN code |
|-------------|-----------------|
| 602.403A | 4 021563 718528 |

| Scope of delivery |
|-----------------------|
| HD 6000, Power supply |



| Article no. | EAN code |
|-------------|-----------------|
| 602.404A | 4 021563 718535 |

| Scope of delivery |
|-------------------|
| HD 6000 C |

4K5 HD 10K C

EXTREMELY POWERFUL, STABLE LED CONSTRUCTION SITE SPOTLIGHT WITH USB CHARGING PORT FOR MOBILE DEVICES, SUITABLE FOR MAINS OPERATION




- Exceptionally powerful 10,000 lumens luminosity ensures perfect vision
- Five lighting levels with easy to read indicator panel
- Adjust brightness and switch off the device via the Light Control App
- 180° tiltable bracket with tripod connection for easy positioning
- Usable for charging mobile devices
- Easy to locate in the dark due to fluorescent reflector
- IP 67: dust-proof and can operate temporarily underwater
- 5 metre cable for flexible choice of installation location and independence from extension cables

THIS DUSTPROOF, WATERPROOF LED CONSTRUCTION SITE SPOTLIGHT OFFERS EXTREMELY POWERFUL LIGHTING WHICH CAN BE ADJUSTED IN FIVE STEPS EITHER MANUALLY OR VIA THE LIGHT CONTROL APP. SAVING THE SETTING ENSURES THE MOST RECENT BRIGHTNESS LEVEL WILL BE USED WHEN THE LIGHT IS SWITCHED ON AGAIN. THE BRACKET CAN SWIVEL THROUGH 180° PROVIDING A VERSATILE SETUP FOR THE DEVICE. IT CAN ALSO BE FIXED TO THE HD T3 TRIPOD. THE SPOTLIGHT CAN BE USED WITH MAINS SUPPLY AND HAS A PRACTICAL POWERBANK WITH USB INTERFACE FOR CHARGING MOBILE DEVICES. THE PRODUCT IS ALWAYS EASY TO LOCATE IN THE DARK THANKS TO THE FLUORESCENT REFLECTOR.

4K5 HD T3

THIS ROBUST CONSTRUCTION SITE TRIPOD IS THE PERFECT ADD-ON FOR HD 6000, HD 6000 C AND HD 10K C PRODUCTS

- Safe and flexible setup of HD 6000, HD 6000 C and HD 10K C construction site spotlights
- Wide adjustment range and reliable locking
- Folding design for easy transport
- Metal struts effectively prevent spreading
- Extremely robust for tough applications




Article no. 602.506A **EAN code** 4 021563 718559

Scope of delivery HD T3



BETTER EQUIPMENT



Article no. 602.405A **EAN code** 4 021563 718542

Scope of delivery HD 10K C

4K5

BETTER EQUIPMENT



4K5 FL 4000

NON-DAZZLE LED FLOODLIGHT WITH POWERFUL ILLUMINATION, UNIFORM LIGHT INTENSITY, WIDE THROW, AND SOCKET; SUITABLE FOR MAINS OPERATION



- Optimum illumination due to powerful 4000 lumens floodlight
- Extremely uniform light intensity and wide throw
- Diffusers provide non-dazzle, pleasant working light
- 1 socket on the rear for connecting another work light or a tool
- Robust, impact-resistant housing
- Integral handle for easy carrying
- Flexible setup or fixed on HD T3 tripod
- IP 54: protected against dust and splash water

4K5 FL 6000


NON-DAZZLE LED FLOODLIGHT WITH VERY POWERFUL ILLUMINATION, UNIFORM LIGHT INTENSITY, WIDE THROW, AND TWO SOCKETS; SUITABLE FOR MAINS OPERATION



- Optimum illumination due to very powerful 6000 lumens floodlight
- Extremely uniform light intensity and wide throw
- Diffusers provide non-dazzle, pleasant working light
- 2 sockets on the rear for connecting additional work lights or electric tools
- Robust, impact-resistant housing
- Integral handle for easy carrying
- Flexible setup or fixed on HD T3 tripod
- IP 54: protected against dust and splash water


4K5

BETTER EQUIPMENT



| Article no. | EAN code |
|-------------|-----------------|
| 602.406A | 4 021563 725175 |

| Scope of delivery |
|-------------------|
| FL 4000 |



| Article no. | EAN code |
|-------------|-----------------|
| 602.407A | 4 021563 725182 |


| Scope of delivery |
|-------------------|
| FL 6000 |



BETTER EQUIPMENT

SPIRIT LEVELS · MEASURING TOOLS · MARKERS · KNIVES AND TOOLS · LIGHTS · HAND TOOLS

UMAREX GmbH & Co. KG - Laserliner -
Gut Nierhof 2 · 59757 Arnsberg, Germany
Telefon +49 2932 9004-0
info@laserliner.com · www.4K5tools.com



020.23.09EN 1.000 Rev23W50



EAN 4 021563 731411

Valid from 01.01.2024. With this catalog all previous catalogs lose their validity. Subject to our General Terms and Conditions of Delivery and Payment. These offers are determined for industry, commerce, handcraft and trade.

Changes in colour and design, setting combinations and product images as well as technical enhancements reserved. All information without liability on our part. Errors and misprints reserved.

Photo archives: UMAREX Laserliner